Exercises to the Lecture FSVT

Prof. Dr. Klaus Madlener

sheet 11

Exercise 33: [Example confluence and critical pairs]

Consider the rule system  $R: h(x, f(x)) \to c, h(x, x) \to b, k(x) \to x, g(a) \to f(g(k(a))).$ 

- 1. Prove: There are no critical pairs of R.
- 2. Prove: R is not confluent.
- 3. Why is there no contradiction?

Exercise 34: [Local coherence and critical pairs]

Prove: Let CP(R, G) be defined as the set of critical pairs regarding R and the set of equations G oriented in both ways. If R is left-linear, then the following statements are equivalent.

- 1.  $\rightarrow_R$  is locally coherent modulo  $\sim$ .
- 2. For every critical pair  $(t_1, t_2) \in CP(R, G)$  holds  $t_1 \downarrow_{\sim} t_2$ .

## Exercise 35: [Termination]

Prove the following theorem:

Let A be a set, > a total well-founded ordering on A and I a function mapping every k-ary function symbol f to a mapping  $I(f) : A^k \to A$ , strictly monotonously increasing in every argument (i.e. for all  $a_1, \ldots, a_k \in A, i \in \{1, \ldots, k\}$ , and  $a_i > a$  holds:  $I(f)(a_1, \ldots, a_i, \ldots, a_k) > I(f)(a_1, \ldots, a_{i-1}, a, a_{i+1}, \ldots, a_k).$ 

Let  $I(\beta)$ : Term $(F, V) \to A$  be defined as:

$$I(\beta)(t) = \beta(t), \text{ if } t \in V$$
  
$$I(\beta)(f(t_1, \dots, t_n)) = I(f)(I(\beta)(t_1), \dots, I(\beta)(t_n))$$

Let G be a term-rewriting system and let  $I(\beta)(l) > I(\beta)(r)$  for every rule  $l \to r \in G$ and for every variable assignment  $\beta : V \to A$ . Then G is terminating.

**Exercise 36:** [Example for termination]

Consider the rule system  $R: f(x) \to h(s(x)), h(0) \to h(s(0))$  with  $x \in V$ . Prove:

- 1. The theorem of exercise 35 is not applicable to R for  $A = \mathbb{N}$ .
- 2. R is confluent.
- 3. R is terminating.

## Delivery: until 2008/01/18, by EMail to Bernd Strieder