

Exercise 40: [PL-Semantik]

Let the following grammar generating PL-programs over the symbols $\Sigma = \{A, B, \dots, Z, 0, 1, \dots, 9, \leftarrow, +, :, ;, \mathbf{loop}, \mathbf{end}, \mathbf{goto}\}$ be given:

$$\begin{aligned}
 \langle \text{letter} \rangle &\rightarrow A \mid B \mid \dots \mid Z \\
 \langle \text{digit} \rangle &\rightarrow 0 \mid 1 \mid \dots \mid 9 \\
 \langle \text{name} \rangle &\rightarrow \langle \text{letter} \rangle \mid \langle \text{name} \rangle \langle \text{letter} \rangle \mid \langle \text{name} \rangle \langle \text{digit} \rangle \\
 \langle \text{assignment} \rangle &\rightarrow \langle \text{name} \rangle \leftarrow 0 \mid \langle \text{name} \rangle \leftarrow \langle \text{name} \rangle + 1 \mid \langle \text{name} \rangle \leftarrow \langle \text{name} \rangle \\
 \langle \text{command} \rangle &\rightarrow \langle \text{assignment} \rangle \mid \mathbf{goto} \langle \text{name} \rangle \\
 \langle \text{mark. command} \rangle &\rightarrow \langle \text{command} \rangle ; \mid \langle \text{name} \rangle : \langle \text{command} \rangle \\
 \langle \text{loop beginning} \rangle &\rightarrow \mathbf{loop} \langle \text{name} \rangle ; \mid \langle \text{name} \rangle : \mathbf{loop} \langle \text{name} \rangle ; \\
 \langle \text{loop end} \rangle &\rightarrow \mathbf{end} ; \mid \langle \text{name} \rangle : \mathbf{end} ; \\
 \langle \text{program} \rangle &\rightarrow \langle \text{mark. command} \rangle \\
 &\quad \mid \langle \text{loop beginning} \rangle \langle \text{program} \rangle \langle \text{loop end} \rangle \\
 &\quad \mid \langle \text{program} \rangle \langle \text{program} \rangle
 \end{aligned}$$

1. Give an operational semantic of PL-programs by a function $M_e : P \times \mathbb{N}^k \rightarrow \mathbb{N}^k$, where k is the number of variables occurring in the program.
2. Determine suitable term sets, an equation set G and a function EVAL implementing M_e in G .

Hints: To make it simpler, sensible restrictions or extensions of the grammar above may be assumed, e.g. every command is marked, the marks are natural numbers.

One possible approach is representing commands as constants (e.g. $c_{i0} \equiv x_i \leftarrow 0$, $c_{ij} \equiv x_i \leftarrow x_j$, $c'_{ij} \equiv x_i \leftarrow x_j + 1$) and programs as lists of commands.

Examine special cases like jumping out of and into loops.

Exercise 41:

Prove the claims of example 10.14.

Exercise 42:

Prove theorem 10.15.

Delivery: until 2009/01/29 Fr:Gr10 Mo:G05,
by EMail to madlener@informatik.uni-kl.de